

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	("2003/0141824").URPN.	USPAT	OR	OFF	2008/04/16 19:38
L2	5	("5237315"   "5247288"   "5250936"   "5410219"   "5420602").PN. and	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/16 19:39
L3	0	("5237315"   "5247288"   "5250936"   "5410219"   "5420602").PN. and (plasma same display\$6 same panel\$6 or PDP) and (sustain\$6 same period\$1 same select\$6 same discharge\$6 same cell\$1 and using same (without or "no") same memory same function\$6)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/16 19:39
L4	58	("5854540").URPN.	USPAT	OR	OFF	2008/04/16 19:40
L5	0	("5854540").URPN. and (plasma same display\$6 same panel\$6 or PDP) and (sustain\$6 same period\$1 same select\$6 same discharge\$6 same cell\$1 and using same (without or "no") same memory same function\$6)	USPAT	OR	OFF	2008/04/16 19:40
L6	0	("5854540").URPN. and (plasma same display\$6 same panel\$6 or PDP) and (sustain\$6 same period\$1 same select\$6 same discharge\$6 same cell\$1 and using same (without or "no") same memory same function\$6)	USPAT	OR	OFF	2008/04/16 19:40
L7	55	("5854540").URPN. and (plasma same display\$6 same panel\$6 or PDP)	USPAT	OR	OFF	2008/04/16 19:41
L8	25	("5854540").URPN. and (plasma same display\$6 same panel\$6 or PDP) and (sustain\$6 same period\$1 same select\$6 same discharge\$6 same cell\$1)	USPAT	OR	OFF	2008/04/16 19:41

L9	0	("5854540").URPN. and (plasma same display\$6 same panel\$6 or PDP) and (sustain\$6 same period\$1 same select\$6 same discharge\$6 same cell\$1 and using same (without or "no") same memory same function\$6)	USPAT	OR	OFF	2008/04/16 19:42
L10	1	("5237315"   "5247288"   "5250936"   "5410219"   "5420602").PN. and (plasma same display\$6 same panel\$6 or PDP) and (sustain\$6 same period\$1 same select\$6 same discharge\$6 same cell\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/16 19:42
L11	0	("5237315"   "5247288"   "5250936"   "5410219"   "5420602").PN. and (plasma same display\$6 same panel\$6 or PDP) and (sustain\$6 same period\$1 same select\$6 adj discharge\$6 adj cell\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/16 19:43
L12	3	("5854540").URPN. and (plasma same display\$6 same panel\$6 or PDP) and (sustain\$6 same period\$1 same select\$6 adj discharge\$6 adj cell\$1)	USPAT	OR	OFF	2008/04/16 19:43
L13	0	("5854540").URPN. and (plasma same display\$6 same panel\$6 or PDP) and (sustain\$6 same period\$1 same select\$6 adj discharge\$6 adj cell\$1) same set\$6 same up same pulse\$6	USPAT	OR	OFF	2008/04/16 19:44
L14	2	"7,030,839".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 19:49
L15	0	"7,030,839".pn. and (plasma same display\$6 same panel\$6 or PDP) and (sustain\$6 same period\$1 same select\$6 adj discharge\$6 adj cell\$1) same set\$6 same up same pulse\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 19:49

L16	12	("20030030608"   "5745086"   "6118214"   "6127992"   "6150766"   "6160530"   "6492964"   "6573878"   "6636187"   "6731275"   "6734844"   "6806858").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/16 19:50
L17	0	("20030030608"   "5745086"   "6118214"   "6127992"   "6150766"   "6160530"   "6492964"   "6573878"   "6636187"   "6731275"   "6734844"   "6806858").PN. and (plasma same display\$6 same panel\$6 or PDP) and (sustain\$6 same period\$1 same select\$6 adj discharge\$6 adj cell\$1) same set\$6 same up same pulse\$6	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/16 19:50
L18	0	("7030839").URPN.	USPAT	OR	OFF	2008/04/16 19:50
S1	14764	plasma same display\$6 same panel\$6 same driv \$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 15:49
S2	16939	(plasma same display\$6 same panel\$6 or PDP) same driv\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 15:49
S3	203	(plasma same display\$6 same panel\$6 or PDP) same driv\$6 and divid\$6 same frame\$6 and video same signal\$6 and plural \$6 same subfield\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 15:50
S4	158	(plasma same display\$6 same panel\$6 or PDP) same driv\$6 and divid\$6 same frame\$6 and video same signal\$6 and plural \$6 same subfield\$6 and plural\$6 same discharge \$6 same cell\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 15:52

S5	77	(plasma same display\$6 same panel\$6 or PDP) same driv\$6 and divid\$6 same frame\$6 and video same signal\$6 and plural\$6 same subfield\$6 and plural\$6 same discharge\$6 same cell\$1 and subfield\$6 same includ\$6 same address\$6 same period\$1 and form\$6 same wall\$1 same charg\$6 and discharge\$6 same cell\$6 same select\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 15:54
S6	77	(plasma same display\$6 same panel\$6 or PDP) same driv\$6 and divid\$6 same frame\$6 and video same signal\$6 and plural\$6 same subfield\$6 and plural\$6 same discharge\$6 same cell\$1 and subfield\$6 same includ\$6 same address\$6 same period\$1 and form\$6 same wall\$1 same charg\$6 and discharge\$6 same cell\$1 same select\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 15:55
S7	77	(plasma same display\$6 same panel\$6 or PDP) same driv\$6 and divid\$6 same frame\$6 and video same signal\$6 and plural\$6 same subfield\$6 and plural\$6 same discharge\$6 same cell\$1 and subfield\$6 same includ\$6 same address\$6 same period\$1 and form\$6 same wall\$1 same charg\$6 and discharge\$6 same cell\$1 same select\$6 and sustain\$6 same period\$1 same select\$6 same discharge\$6 same cell\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 16:03

S8	1	(plasma same display\$6 same panel\$6 or PDP) same driv\$6 and divid\$6 same frame\$6 and video same signal\$6 and plural \$6 same subfield\$6 and plural\$6 same discharge \$6 same cell\$1 and subfield\$6 same includ\$6 same address\$6 same period\$1 and form\$6 same wall\$1 same charg \$6 and discharge\$6 same cell\$1 same select\$6 and sustain\$6 same period\$1 same select\$6 same discharge\$6 same cell\$1 same (without or "no") same memory same function\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 16:07
S9	5	(plasma same display\$6 same panel\$6 or PDP) same driv\$6 and divid\$6 same frame\$6 and sustain \$6 same period\$1 same select\$6 same discharge \$6 same cell\$1 same (without or "no") same memory same function\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 16:09
S10	1	(plasma same display\$6 same panel\$6 or PDP) and sustain\$6 same period\$1 same select\$6 same discharge\$6 same cell\$1 same using same (without or "no") same memory same function\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 16:12
S11	5	(plasma same display\$6 same panel\$6 or PDP) and (sustain\$6 same period\$1 same select\$6 same discharge\$6 same cell\$1 and using same (without or "no") same memory same function\$6)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 16:13
S12	0	(plasma same display\$6 same panel\$6 or PDP) and (sustain\$6 same period\$1 same select\$6 same discharge\$6 same cell\$1 and using same (without or "no") adj (memory same function\$6))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 16:15

S13	7	(plasma same display\$6 same panel\$6 or PDP) and (sustain\$6 same period\$1 and select\$6 same discharge\$6 same cell\$1 and using same (without or "no") same memory same function\$6)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 16:21
S14	2	(plasma same display\$6 same panel\$6 or PDP) and (sustain\$6 same period\$1 and select\$6 same discharge\$6 same cell\$1 same (without or "no") same using same memory same function\$6)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 16:22
S15	6	(plasma same display\$6 same panel\$6 or PDP) and ( discharge\$6 same cell\$1 same (without or "no") same using same memory same function\$6)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 16:23
S16	2	"5,854,540".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 16:34
S17	2	"20030141824"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 16:34
S18	131	plasma same display\$6 same panel\$6 same driv \$6 and prim\$6 same pulse same occur\$6 same sustain\$6 same period\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 16:36
S19	64	plasma same display\$6 same panel\$6 same driv \$6 and prim\$6 same pulse same occur\$6 same during same sustain\$6 same period\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 16:37
S20	24	plasma same display\$6 same panel\$6 same driv \$6 and prim\$6 same pulse same occur\$6 same during same sustain\$6 adj period\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 16:37

S21	6	plasma same display\$6 same panel\$6 same driv \$6 and prim\$6 adj pulse same occur\$6 same during same sustain\$6 adj period\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 16:37
S22	8	plasma same display\$6 same panel\$6 same driv \$6 and prim\$6 adj pulse same during adj sustain\$6 adj period\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 16:43
S23	0	plasma same display\$6 same panel\$6 same driv \$6 and prim\$6 adj pulse \$6 adj during adj sustain \$6 adj period\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 16:47
S24	0	(plasma same display\$6 same panel\$6 or PDP) and prim\$6 adj pulse\$6 adj during adj sustain\$6 adj period\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 16:47
S25	0	(plasma same display\$6 same panel\$6 or PDP) and (prim\$6 or pre-charge or reset or erase) adj pulse \$6 adj during adj sustain \$6 adj period\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 16:48
S26	0	(plasma same display\$6 same panel\$6 or PDP) and (prim\$6 or pre-charge or reset or erase or set\$6 same up) adj pulse\$6 adj during adj sustain\$6 adj period\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 16:53
S27	5	(plasma same display\$6 same panel\$6 or PDP) and (prim\$6 or pre-charge or reset or erase or set\$6 same up) adj pulse\$6 adj sustain\$6 adj period\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 16:54
S28	1	(plasma same display\$6 same panel\$6 or PDP) and (prim\$6 or pre-charge or reset or set\$6 same up) adj pulse\$6 adj sustain\$6 adj period\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 17:12
S29	0	"20060139246" and erase \$6	USPAT	OR	OFF	2008/04/16 17:31

S30	1	"20060139246" and erase \$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 17:31
S31	88	Mizuta same Takahisa	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 17:45
S32	15	Mizuta same Takahisa and sustain\$6 same period\$1 and (plasma same display \$6 same panel\$6 or PDP)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 17:46
S33	4	Mizuta same Takahisa and sustain\$6 same period\$1 and (plasma same display \$6 same panel\$6 or PDP) and prim\$6 same pulse\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 17:47
S34	579	(plasma same display\$6 same panel\$6 or PDP) same driv\$6 and set\$6 same up same pulse\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 18:10
S35	83	(plasma same display\$6 same panel\$6 or PDP) and set\$6 adj up adj pulse\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 18:11
S36	2	(plasma same display\$6 same panel\$6 or PDP) and set\$6 adj up adj pulse\$6 and form\$6 same first same space same charge \$6 same select\$6 same discharge\$6 same cell\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 18:12
S37	2	(plasma same display\$6 same panel\$6 or PDP) and set\$6 adj up adj pulse\$6 and form\$6 same first same space same charge \$6 and select\$6 same discharge\$6 same cell\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 18:12
S38	0	(plasma same display\$6 same panel\$6 or PDP) and set\$6 adj up adj pulse\$6 same form\$6 same first same space same charge \$6 and select\$6 same discharge\$6 same cell\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 18:14



S39	274	(plasma same display\$6 same panel\$6 or PDP) and prim\$6 adj pulse\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 18:23
S40	0	(plasma same display\$6 same panel\$6 or PDP) and prim\$6 adj pulse\$6 same select\$6 adj discharge\$6 adj cell\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 18:23
S41	20	(plasma same display\$6 same panel\$6 or PDP) and prim\$6 adj pulse\$6 and select\$6 adj discharge\$6 adj cell\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 18:24
S42	19	(plasma same display\$6 same panel\$6 or PDP) and prim\$6 adj pulse\$6 and apply\$6 and select\$6 adj discharge\$6 adj cell\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 18:25
S43	8	(plasma same display\$6 same panel\$6 or PDP) and prim\$6 adj pulse\$6 same apply\$6 and select\$6 adj discharge\$6 adj cell\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/16 18:25

4/16/2008 7:52:00 PM

C:\Documents and Settings\pdharia\My Documents\EAST\Workspaces\10796225 04-16-2008.wsp